

STANLEY®

MAKE SOMETHING GREAT™



VACUUM GENERAL CATALOGUE



WET & DRY VACUUM CLEANERS




Power, air suction, depression: which technical data is most important?

The right technical data of a vacuum cleaner is the vacuum efficiency, that is the mix of different values, i.e. air suction, motor power and depression. Air suction is the vacuumed air volume, commonly expressed in litres per seconds (l/sec) and it is the result of the average air speed multiplied by hose diameter. The depression is the vacuum power (it can be defined as the vacuum power to collect dirt) and it is commonly expressed in kPa or in mbar. It is an inverse relation to air suction: the narrower the flex diameter, the least vacuumed air volume but the best strength to pick up dirt.

Power motor is expressed in Watt and it is not proportional to vacuumefficiency!

If the vacuum cleaner is not well-done, it wastes a lot of electric power without having the best performances possible. Summing up, the vacuum cleaner efficiency is a relationship between air suction (resulting in multiplication of pressure and air suction) and motor power. All our vacuum cleaners have a top efficiency and are manufactured considering essence and user's benefit.




Flex hose length: it is possible to reach unattainable areas in an easy and quick way.

Electrical cable length: allows a wide range of action without moving the vacuum cleaner

Power tool socket The presence of the socket on the vacuum cleaner allows the connection of any power tools (that generally produces dust). The vacuum cleaner switches on and off automatically with the use or switching off of the connected power tool.

Filter shaker It clears filter from dust without touching it or opening the vacuum cleaner; the vacuum efficiency is kept at max.





STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.228.0049
motor W	1400 (max 1600)
column depression	270 mbar /27 kPa
suction air	70 l/s
tank capacity	18 l.
voltage	220-240~50/60 Hz



STN 18 P

- Silenced motor.
- Suction system with by-pass cooling.
- Impact-resistant tank.
- Handy accessory holder.
- Traceless wheels.
- Washable filter



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.228.0050
motor W	1400 (max 1600)
column depression	270 mbar/27 kPa
suction air	70 l/s
tank capacity	22 l.
voltage	220-240~50/60 Hz



STN 22 X

- Silenced motor.
- Suction system with by-pass cooling.
- S/S tank
- Handy accessory holder.
- Traceless wheels.
- Washable filter



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.228.0051
motor W	1400 (max 1600)
column depression	270 mbar/27 kPa
suction air	70 l/s
tank capacity	22 l.
voltage	220-240~50/60 Hz



STN 22 XE

- Silenced motor.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Power tool socket (max. 800 W).
- Washable filter





STN 32 XE

WET/DRY VACUUM CLEANER

- Silenced motor.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Power tool socket (max. 2200 W).
- HEPA filter

Code	8.228.0052
motor W	1400 (max 1600)
column depression	270 mbar/27 kPa
suction air	70 l/s
tank capacity	32 l.
voltage	220-240~50/60 Hz



STANDARD EQUIPMENT




STN 50 XE

WET/DRY VACUUM CLEANER

- Silenced motor.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Power tool socket (max. 2200 W).
- HEPA filter

Code	8.202.0077
motor W	1400 (max 1600)
column depression	260 mbar/26 kPa
suction air	70 l/s
tank capacity	50 l.
voltage	220-240~50/60 Hz



STANDARD EQUIPMENT




STN 35 P

WET/DRY VACUUM CLEANER

- Silenced motor.
- Suction system with by-pass cooling.
- Impact-resistant tank.
- Cap for liquid emptying.
- Traceless wheels.
- Washable filter

Code	8.228.0053
motor W	1400 (max 1600)
column depression	270 mbar/27 kPa
suction air	70 l/s
tank capacity	35 l.
voltage	220-240~50/60 Hz



STANDARD EQUIPMENT



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER


Code	8.222.0529
motor W	1200 (max 1400)
column depression	240 mbar/24 kPa
suction air	54 l/s
tank capacity	35 l.
voltage	220-240~50/60 Hz



PRO RANGE

STN 135

- Double stage motor.
- Suction system with by-pass cooling.
- S/S tank
- Handy accessory holder.
- Traceless wheels.
- Washable filter



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.222.0530
motor W	1200 (max 1400)
column depression	240 mbar/24 kPa
suction air	54 l/s
tank capacity	35 l.
voltage	220-240~50/60 Hz



PRO RANGE

STN 135 VE


- Double stage motor.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Power tool socket (max. 2200 W).
- Washable filter



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.215.0529
motor W	1200 (max 1400)
column depression	240 mbar/24 kPa
suction air	55 l/s
tank capacity	50 l.
voltage	220-240~50/60 Hz



PRO RANGE

STN 150

- Double stage motor.
- Suction system with by-pass cooling.
- S/S tank
- Handy accessory holder.
- Traceless wheels.
- Accessories Ø 40.
- Washable filter



PROFESSIONAL RANGE



STN 150 VE WET/DRY VACUUM CLEANER

- Double stage motor.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Accessories Ø 40.
- Washable filter
- Power tool socket (max. 2200 W).

Code	8.215.0530
motor W	1200 (max 1400)
column depression	240 mbar/24 kPa
suction air	55 l/s
tank capacity	50 l.
voltage	220-240~50/60 Hz




STANDARD EQUIPMENT



STN 278 WET/DRY VACUUM CLEANER

- 2-double stage motors.
- Suction system with by-pass cooling.
- S/S tank
- Handy accessory holder.
- Traceless wheels.
- Accessories Ø 40.
- Drain hose system
- Cloth filter.

Code	8.216.0529
motor W	2000 (max 2400)
column depression	240 mbar/24 kPa
suction air	108 l/s
tank capacity	78 l.
voltage	220-240~50/60 Hz



STANDARD EQUIPMENT



STN 278 VE WET/DRY VACUUM CLEANER

- 2-double stage motors.
- S/S tank
- Traceless wheels.
- Accessories Ø 40.
- Drain hose system
- Power tool socket (max. 1500 W).
- Cloth filter.

Code	8.216.0530
motor W	2000 (max 2400)
column depression	240 mbar/24 kPa
suction air	108 l/s
tank capacity	78 l.
voltage	220-240~50/60 Hz



STANDARD EQUIPMENT



STANDARD EQUIPMENT

WET/DRY VACUUM CLEANER

Code	8.212.0517
motor W	3000 (max 3600)
column depression	240 mbar/24 kPa
suction air	162 l/s
tank capacity	78 l.
voltage	220-240-50/60 Hz



PRO
RANGE

STN 378

- 3-double stage motors.
- Suction system with by-pass cooling.
- S/S tank
- Traceless wheels.
- Accessories Ø 40.
- Tilting tank
- Cloth filter.



Accessories

The Stanley vacuum cleaner range includes a wide range of accessories, specifically designed and selected to convert each vacuum cleaner into a versatile system, able to meet any requirement, to vacuum every type of dirt and to solve any cleaning need.

Each point of sale is offering our complete range of accessories and specific filters (i.e HEPA filter, Cartridge filter, washable cartridge filter) together with the high performing Stanley vacuum cleaners, that are ideal for the garage, workshop, renovations or private construction sites.



VACUUM CLEANER ACCESSORIES

Paper collector bag set



Code	Barcode	N°	Description	STN 18 P	STN 22X	STN 22XE	STN 32XE	STN 50XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0058	8013298100590	5	Paper collector bag set	S*												
5.212.0059	8013298100606	5	Paper collector bag set		S*	S*										
5.212.0060	8013298100613	5	Paper collector bag set				S*	S*								
5.212.0061	8013298100620	10	Paper collector bag set						S*	S*	S*	S*	S*	S*	S*	S*

Cloth filter



Code	Barcode	N°	Description	STN 18 P	STN 22X	STN 22XE	STN 32XE	STN 50XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0062	8013298100637	1	Cloth filter		0	0	0	0								
5.212.0063	8013298100644	1	Cloth filter						0			0	0			
5.212.0064	8013298100651	1	Cloth filter							0	0					
5.212.0065	8013298100668	1	Cloth filter											S	S	S

Nylon filter



Code	Barcode	N°	Description	STN 18 P	STN 22X	STN 22XE	STN 32XE	STN 50XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0066	8013298100675	1	Nylon filter		0	0	0	0								
5.212.0067	8013298100682	1	Nylon filter						0	0	0	0	0			
5.212.0068	8013298100699	1	Nylon filter											0	0	0

Foam filter



Code	Barcode	N°	Description	STN 18 P	STN 22X	STN 22XE	STN 32XE	STN 50XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0069	8013298100705	1	Foam filter	S	S	S	S	S								
5.212.0070	8013298100712	1	Foam filter						S	S	S	S	S			

S = standard - S* = 1 pcs standard - 0 = Optional

STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
○	○	○	○	○									5.212.0071	8013298100729	3	Cloth filter
					○								5.212.0072	8013298100736	3	Cloth filter

Cloth filter



STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
○	○	○	○	○									5.212.0082	8013298100835	1	Cartridge filter
					○	○	○	○	○				5.212.0083	8013298100842	1	Cartridge filter

Cartridge filter



STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
○	○	○	○	○									5.212.0084	8013298100859	1	Hepa filter
					○	○	○	○	○				5.212.0085	8013298100866	1	Hepa filter
										○	○	○	5.212.0086	8013298100873	1	Hepa filter

Hepa filter



STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
S	S	S	○	S									5.212.0087	8013298100880	1	Washable filter
					○	S	S	S	S				5.212.0088	8013298100897	1	Washable filter
										○	○	○	5.212.0089	8013298100903	1	Washable filter

Washable filter



S = standard - S* = 1 pcs standard - 0 = Optional

VACUUM CLEANER ACCESSORIES

Multidiameter tool adapter



Code	Barcode	N°	Description	STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0073	8013298100743	1	Multidiameter tool adapter			S	S		S		S		S		S	O

Brush for radiators



Code	Barcode	N°	Description	STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0074	8013298100750	1	Brush for radiators Ø 35	O	O	O	O	O	O							

Round brush



Code	Barcode	N°	Description	STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0075	8013298100767	1	Round brush Ø 35	O	O	O	O	O	O	O	O					
5.212.0076	8013298100774	1	Round brush Ø 35									O	O	O	O	O

Nozzle



Code	Barcode	N°	Description	STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378
5.212.0077	8013298100781	1	Nozzle Ø 35	O	O	O	O	O	O	O	O					

S = standard - S* = 1 pcs standard - O = Optional

STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
S	S	S	S	S	S	S	S						5.212.0078	8013298100798	1	Lance Ø 35
								s	s	s	s	s	5.212.0079	8013298100804	1	Lance Ø 40

Lance



STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
O	O	O	O	O	O	O	O						5.212.0081	8013298100828	1	Combined inox brush Ø 35

Combined inox brush



STN 18 P	STN 22 X	STN 22 XE	STN 32 XE	STN 50 XE	STN 35 P	STN 135	STN 135 VE	STN 150	STN 150 VE	STN 278	STN 278 VE	STN 378	Code	Barcode	N°	Description
O	O	O	S	O	S	O	S						5.212.0080	8013298100811	1	Complete flexible hose Ø 35

Complete flexible hose



S = standard - S* = 1 pcs standard - O = Optional

STANLEY®

MAKE SOMETHING GREAT™



Code 7.199.1078

Stanley® is trademarks of The Stanley Works or its affiliates and is used under license by Lavorwash S.p.A

J.F.Kennedy, 12 - 46020 Pegognaga (MN) Italy
Tel. +39 0376 55431 - Fax +39 0376 558927
E-mail: info@lavorwash.it - WebSite: www.lavorwash.it